




# Spotlights



# Spotlights



## Wall spotlights


with electronic ballast  
and double-sided light  
output

Protection class IP 44  
for metal halide lamps HIT-TC-CE  
stainless steel  
with mounting plate made of  
cast aluminium  
safety glass clear respectively  
lens: clear  
with different light distributions  
(small, wide)

- Available on request with one-sided light output.

Art.-no.	Lamp	Base	Material
small / small			
692303	1 x HIT-TC-CE 35 W	G8,5	stainless steel
small / wide			
692304	1 x HIT-TC-CE 35 W	G8,5	stainless steel
wide / wide			
692305	1 x HIT-TC-CE 35 W	G8,5	stainless steel











### Wall spotlights

with double-sided  
light output

Protection class IP 44  
for tungsten halogen lamps QT-DE 12  
stainless steel  
with mounting plate  
safety glass clear respectively  
lens: clear  
with different light distributions  
(small, wide)

- Available on request with one-sided light output.






Art.-no.	Lamp	Base	Material
small / small			
692161	1 x QT-DE 12 60 W	R7s	stainless steel
small / wide			
692162	1 x QT-DE 12 60 W	R7s	stainless steel
wide / wide			
692163	1 x QT-DE 12 60 W	R7s	stainless steel

# Spotlights



Spotlights



## Wall spotlights

with electronic ballast  
and double-sided light  
output

Protection class IP 44  
for metal halide lamps HIT-TC-CE  
cast aluminium  
with mounting plate  
safety glass clear respectively  
lens: clear  
with different light distributions  
(small, wide)

- Available on request with one-sided light output.

Art.-no.	Lamp	Base	Colour
<b>small / small</b>			
662300	1 x HIT-TC-CE 35 W	G8,5	black
682300	1 x HIT-TC-CE 35 W	G8,5	white
692300	1 x HIT-TC-CE 35 W	G8,5	silver
<b>small / wide</b>			
662301	1 x HIT-TC-CE 35 W	G8,5	black
682301	1 x HIT-TC-CE 35 W	G8,5	white
692301	1 x HIT-TC-CE 35 W	G8,5	silver
<b>wide / wide</b>			
662302	1 x HIT-TC-CE 35 W	G8,5	black
682302	1 x HIT-TC-CE 35 W	G8,5	white
692302	1 x HIT-TC-CE 35 W	G8,5	silver




### Wall spotlights

with double-sided light output

- Available on request with one-sided light output and with warmwhite 3500 °K LED-lamp.

Protection class IP 44  
for tungsten halogen lamps QT-DE 12 respectively with 2 x Power-LED 3 W lightcolour white, 4100 °K inclusive converter  
cast aluminium  
with mounting plate  
borosilicate glass clear/matt respectively lens: clear  
with different light distributions (small, wide, diffuse)


Art.-no.	Lamp	Base	Colour
with Power-LED			
small / small			
662306	2 x Power-LED 3 W		black
682306	2 x Power-LED 3 W		white <b>LED</b>
692306	2 x Power-LED 3 W		silver
small / wide			
662307	2 x Power-LED 3 W		black
682307	2 x Power-LED 3 W		white <b>LED</b>
692307	2 x Power-LED 3 W		silver
wide / wide			
662308	2 x Power-LED 3 W		black
682308	2 x Power-LED 3 W		white <b>LED</b>
692308	2 x Power-LED 3 W		silver
for tungsten halogen lamps			
small / small			
662186	1 x QT-DE 12 100 W	R7s	black
682186	1 x QT-DE 12 100 W	R7s	white
692186	1 x QT-DE 12 100 W	R7s	silver
small / wide			
662185	1 x QT-DE 12 100 W	R7s	black
682185	1 x QT-DE 12 100 W	R7s	white
692185	1 x QT-DE 12 100 W	R7s	silver
wide / wide			
662187	1 x QT-DE 12 100 W	R7s	black
682187	1 x QT-DE 12 100 W	R7s	white
692187	1 x QT-DE 12 100 W	R7s	silver
diffuse / diffuse			
662145	1 x QT-DE 12 100 W	R7s	black
682145	1 x QT-DE 12 100 W	R7s	white
692145	1 x QT-DE 12 100 W	R7s	silver




..2186, ..2306




..2186, ..2300, ..2306




..2185, ..2307




..2185, ..2301, ..2307




..2187, ..2308



..2187, ..2302, ..2308




..2145



..2145

# Spotlights




..2151

## Wall spotlights

with double-sided light output

Protection class IP 44  
for tungsten halogen lamps QT 14  
stainless steel  
with mounting plate made of cast aluminium  
reflector made of anodised pure aluminium  
safety glass clear

Art.-no.	Lamp	Base	Material
692151	2 x QT 14 60 W	G9	stainless steel



..0235

## Wall spotlights

with double-sided light output

Protection class IP 44  
for tungsten halogen lamps QT 14  
stainless steel and cast aluminium  
with mounting plate  
reflector made of pure aluminium  
borosilicate glass clear

Art.-no.	Lamp	Base	Material/Colour
620235	1 x QT 14 40 W	G9	stainless steel / anthracite


Spotlights



### Wall spotlights

with one-sided  
light output

Protection class IP 23  
for pressed glass reflector lamps PAR 30  
cast aluminium  
with mounting plate



..2133




Art.-no.	Lamp	Base	Colour
662133	1 x PAR 30 100 W	E27	black
682133	1 x PAR 30 100 W	E27	white
692133	1 x PAR 30 100 W	E27	silver

### Wall spotlights

with double-sided  
light output

Protection class IP 44  
for tungsten halogen lamps QT 18  
cast aluminium  
with mounting plate  
reflector made of anodised pure  
aluminium  
safety glass clear



..2124




Spotlights

Art.-no.	Lamp	Base	Colour
662124	1 x QT 18 60 W	B15d	black
682124	1 x QT 18 60 W	B15d	white
692124	1 x QT 18 60 W	B15d	silver


### Wall spotlights

with double-sided  
light output

Protection class IP 44  
for tungsten halogen lamps QT-DE 12  
cast aluminium  
with mounting plate  
safety glass clear



..0679




Art.-no.	Lamp	Base	Colour
660679	1 x QT-DE 60 W	R7s	black
680679	1 x QT-DE 60 W	R7s	white
690679	1 x QT-DE 60 W	R7s	silver

# Spotlights




Foto: KONZEPT CI, Oestrich-Winkel

Spotlights



..2146



..2177

## Ceiling spotlights


Protection class IP 23  
for pressed glass reflector lamps PAR 16  
respectively PAR 30  
stainless steel  
with mounting plate made of  
cast aluminium

Art.-no.	Lamp	Base	Material
692146	1 x PAR 30 100 W	E27	stainless steel
692177	1 x PAR 16 50 W	GZ10	stainless steel



Distance [m]	ø Cube [m]	Illumination [lx]
1,0		3005
2,0	1,06	751
3,0	1,59	334
4,0	2,11	188
5,0	2,64	120
6,0	3,17	83

..2181 Half beam angle 30°



..2181

## Ceiling spotlights


Protection class IP 55  
for metal halide lamps HIT-TC-CE  
stainless steel, with mounting plate  
made of cast aluminium  
reflector made of anodised pure  
aluminium  
safety glass clear

Art.-no.	Lamp	Base	Material
692181	1x HIT-TC-CE 35 W	G8,5	stainless steel




**Ceiling spotlights** Protection class IP 23  
for pressed glass reflector lamps PAR 30  
cast aluminium  
with mounting plate

Art.-no.	Lamp	Base	Colour
662130	1 x PAR 30 100 W	E27	black
682130	1 x PAR 30 100 W	E27	white
692130	1 x PAR 30 100 W	E27	silver



**Ceiling spotlights** Protection class IP 23  
for pressed glass reflector lamps PAR 16  
cast aluminium

Art.-no.	Lamp	Base	Colour
662140	1 x PAR 16 50 W	GZ10	black
682140	1 x PAR 16 50 W	GZ10	white
692140	1 x PAR 16 50 W	GZ10	silver




Spotlights


**Ceiling spotlights** Protection class IP 44  
for tungsten halogen lamps QT-DE 12  
cast aluminium  
with mounting plate  
reflector made of anodised pure aluminium  
safety glass satiné

- Available on request for energy saving lamp GX 53.

Art.-no.	Lamp	Base	Colour
662137	1 x QT-DE 12 60 W	R7s	black
682137	1 x QT-DE 12 60 W	R7s	white
692137	1 x QT-DE 12 60 W	R7s	silver



# Spotlights




## Ceiling recessed spotlight

Protection class IP 23  
for pressed glass reflector lamps PAR 20  
respectively PAR 16  
cast aluminium  
insert hole:  $\phi 88$  mm x 100 mm

Art.-no.	Lamp	Base	Colour
662129	1 x PAR 20 50 W	E27	black
682129	1 x PAR 20 50 W	E27	white

..2129



## Rotating and slewable spotlight

Protection class IP 44  
for pressed glass reflector lamps PAR 16  
cast aluminium  
rotatable 360°, slewable 90°  
with mounting plate  
borosilicate glass

Art.-no.	Lamp	Base	Colour
662138	1 x PAR 16 50 W	GZ10	black
682138	1 x PAR 16 50 W	GZ10	white
692138	1 x PAR 16 50 W	GZ10	silver


..2138

Spotlights



### Ceiling recessed spotlight

Protection class IP 23  
for pressed glass reflector lamps PAR 20  
cast aluminium  
cover stainless steel  
insert hole:  $\varnothing$  88 mm x 100 mm




Art.-no.	Lamp	Base	Material
692147	1 x PAR 20 50 W	E27	stainless steel

### Wall and Ceiling recessed spotlight

Protection class IP 67  
with 1x Power-LED 1 W  
lightcolour white, 6050 °K  
inclusive converter  
connection directly 230 V, 50 Hz  
stainless steel with mounting ring  
safety glass clear  
insert hole:  $\varnothing$  100 mm x 120 mm

- Available on request with light-colour warmwhite (2950 °K).





Art.-no.	Lamp	Material
692164	1 x Power-LED 1 W	stainless steel

LED

Spotlights

### Ceiling and Ceiling recessed lamp

Protection class IP 44  
for tungsten halogen lamps QT 14  
cast aluminium and stainless steel  
with mounting plate  
borosilicate glass  
..6170 with opal coated glass  
insert hole:  $\varnothing$  110 mm x 40 mm



Art.-no.	Lamp	Base	Material
696173	1 x QT 14 40 W	G9	stainless steel
696170	1 x QT 14 40 W	G9	stainless steel


# Spotlights



## Small spotlights

rotatable and slewable

Protection class IP 54  
for tungsten halogen lamps QT-DE 12  
rotatable 340°, slewable 90°  
cast aluminium  
with mounting plate  
reflector made of anodised pure  
aluminium  
borosilicate glass clear



..2141


Art.-no.	Lamp	Base	Colour
662141	1 x QT-DE 150 W	R7s	black
682141	1 x QT-DE 150 W	R7s	white
692141	1 x QT-DE 150 W	R7s	silver

Spotlights

## Small spotlights

slewable

Protection class IP 55  
for tungsten halogen lamps QT 14  
slewable 90°  
cast aluminium  
with mounting plate  
reflector made of anodised pure  
aluminium  
safety glass clear



..2166


Art.-no.	Lamp	Base	Colour
662166	1 x QT 14 75 W	G9	black
682166	1 x QT 14 75 W	G9	white
692166	1 x QT 14 75 W	G9	silver

### Wall spotlights

sleuable

Protection class IP 54  
 for high pressure discharged lamps  
 HIT-DE / HST-DE  
 sleuable 90°  
 cast aluminium  
 with mounting plate  
 reflector made of pure aluminium  
 safety glass clear

Art.-no.	Lamp	Base	Colour
662152	1 x HIT-DE/HST-DE 70 W	RX7s	black
682152	1 x HIT-DE/HST-DE 70 W	RX7s	white
692152	1 x HIT-DE/HST-DE 70 W	RX7s	silver




### Small spotlights

sleuable

Protection class IP 54  
 for tungsten halogen lamps QT-DE 12  
 sleuable 90°  
 cast aluminium  
 with mounting plate  
 reflector made of pure aluminium  
 borosilicate glass clear

Art.-no.	Lamp	Base	Colour
662110	1 x QT-DE 12 150 W	R7s	black
682110	1 x QT-DE 12 150 W	R7s	white
692110	1 x QT-DE 12 150 W	R7s	silver




Spotlights

### Small spotlights


sleuable

Protection class IP 54  
 for tungsten halogen lamps QT-DE 12  
 sleuable 90°  
 cast aluminium  
 reflector made of pure aluminium  
 borosilicate glass clear


Art.-no.	Lamp	Base	Colour
662111	1 x QT-DE 12 300 W	R7s	black
682111	1 x QT-DE 12 300 W	R7s	white
692111	1 x QT-DE 12 300 W	R7s	silver



# Spotlights



..2120



..2121




## Small spotlights


rotatable and slewable

Protection class IP 55  
for tungsten halogen lamps QT 18  
rotatable 360°, slewable 120°  
cast aluminium  
with mounting plate respectively  
spike with 2,5 m cable and plug  
reflector made of anodised pure  
aluminium  
safety glass clear

Art.-no.	Lamp	Base	Colour
<b>Wall spotlights</b>			
662120	1 x QT 18 150 W	B15d	black
682120	1 x QT 18 150 W	B15d	white
692120	1 x QT 18 150 W	B15d	silver
<b>Spotlights with spike</b>			
662121	1 x QT 18 150 W	B15d	black
682121	1 x QT 18 150 W	B15d	white
692121	1 x QT 18 150 W	B15d	silver



..2167



..2168



## Small spotlights

rotatable and slewable


Protection class IP 55  
for tungsten halogen lamps QT 14  
rotatable 360°, slewable 120°  
cast aluminium  
with mounting plate respectively  
spike with 2,5 m cable and plug  
reflector made of anodised pure  
aluminium  
safety glass clear

Art.-no.	Lamp	Base	Colour
<b>Wall spotlights</b>			
662167	1 x QT 14 75 W	G9	black
682167	1 x QT 14 75 W	G9	white
692167	1 x QT 14 75 W	G9	silver
<b>Spotlights with spike</b>			
662168	1 x QT 14 75 W	G9	black
682168	1 x QT 14 75 W	G9	white
692168	1 x QT 14 75 W	G9	silver



**Small spotlights**  
rotatable and slewable

Protection class IP 55  
for energy saving lamps TC-DSE  
rotatable 360°, slewable 120°  
cast aluminium  
with mounting plate respectively  
spike with 2,5 m cable and plug  
reflector made of anodised pure  
aluminium  
safety glass clear




..2182



Spotlights

Art.-no.	Lamp	Base	Colour
<b>Wall spotlights</b>			
662182	1 x TC-DSE 15 W	E27	black
682182	1 x TC-DSE 15 W	E27	white
692182	1 x TC-DSE 15 W	E27	silver
<b>Spotlights with spike</b>			
662183	1 x TC-DSE 15 W	E27	black
682183	1 x TC-DSE 15 W	E27	white
692183	1 x TC-DSE 15 W	E27	silver




..2183




# Spotlights



Spotlights



..2122



..2123

## Small spotlights

rotatable and slewable

Protection class IP 55  
for pressed glass reflector lamps PAR 38  
rotatable 360°, slewable 120°  
cast aluminium  
with mounting plate respectively  
spike with 2,5 m cable and plug


Art.-no.	Lamp	Base	Colour
Wall spotlights			
662122	1 x PAR 38 120 W	E27	black
682122	1 x PAR 38 120 W	E27	white
Spotlights with spike			
662123	1 x PAR 38 120 W	E27	black
682123	1 x PAR 38 120 W	E27	white



### Small spotlights

Protection class IP 55  
 for pressed glass reflector lamps PAR 20  
 rotatable 360°, slewable 120°  
 cast aluminium  
 with mounting plate respectively  
 spike with 2,5 m cable and plug  
 borosilicate glass clear


rotatable and slewable



..2153



Art.-no.	Lamp	Base	Colour
<b>Wall spotlights</b>			
662153	1 x PAR 20 50 W	E27	black
682153	1 x PAR 20 50 W	E27	white
<b>Spotlights with spike</b>			
662154	1 x PAR 20 50 W	E27	black
682154	1 x PAR 20 50 W	E27	white




..2154



### Small spotlights

Protection class IP 55  
 for pressed glass reflector lamps PAR 30  
 rotatable 360°, slewable 120°  
 cast aluminium  
 with mounting plate respectively  
 spike with 2,5 m cable and plug  
 borosilicate glass clear


rotatable and slewable



..2155




Art.-no.	Lamp	Base	Colour
<b>Wall spotlights</b>			
662155	1 x PAR 30 75 W	E27	black
682155	1 x PAR 30 75 W	E27	white
<b>Spotlights with spike</b>			
662156	1 x PAR 30 75 W	E27	black
682156	1 x PAR 30 75 W	E27	white




..2156




# Spotlights




..2198



..2193



..2194



..2199


Spotlights

**Wall spotlights**  
**Spotlights with**  
**spike or pole**


rotatable or slewable

Protection class IP 54  
for pressed glass reflector lamps PAR 16  
rotatable 330° or slewable 120°  
cast aluminium  
with mounting plate respectively  
spike with 2,5 m cable and plug  
clear borosilicate glass

For installation on a wall,  
on a foundation or  
on the sunk pedestal 690010.



..2197



..2195



Spotlights

Art.-no.	Lamp	Base	Colour
Wall spotlights with double-sided light output, up and down			
662198	2 x PAR 16 50 W	GZ10	black
682198	2 x PAR 16 50 W	GZ10	white
692198	2 x PAR 16 50 W	GZ10	silver

Wall spotlights 1-unit			
662193	1 x PAR 16 50 W	GZ10	black
682193	1 x PAR 16 50 W	GZ10	white
692193	1 x PAR 16 50 W	GZ10	silver


Wall spotlights 2-units			
662194	2 x PAR 16 50 W	GZ10	black
682194	2 x PAR 16 50 W	GZ10	white
692194	2 x PAR 16 50 W	GZ10	silver

Wall spotlights 3-units			
662199	3 x PAR 16 50 W	GZ10	black
682199	3 x PAR 16 50 W	GZ10	white
692199	3 x PAR 16 50 W	GZ10	silver

Spotlights with spike			
662197	1 x PAR 16 50 W	GZ10	black
682197	1 x PAR 16 50 W	GZ10	white
692197	1 x PAR 16 50 W	GZ10	silver

Spotlights with pole 1-unit			
662195	1 x PAR 16 50 W	GZ10	black
682195	1 x PAR 16 50 W	GZ10	white
692195	1 x PAR 16 50 W	GZ10	silver


Spotlights with pole 2-units			
662196	2 x PAR 16 50 W	GZ10	black
682196	2 x PAR 16 50 W	GZ10	white
692196	2 x PAR 16 50 W	GZ10	silver




..2196



# Spotlights



..2188




..2189

## Wall lamp and Spotlight with spike


slewable

Protection class IP 55  
for tungsten halogen lamps QT 18  
slewable +/- 30° by turning  
cast aluminium and stainless steel  
with mounting plate respectively  
spike with 2,5 m cable and plug  
reflector made of anodised pure  
aluminium  
borosilicate glass clear

Art.-no.	Lamp	Base	Material/Colour
<b>Wall spotlights</b>			
622188	1 x QT 18 60 W	B15d	stainless steel /anthracite
<b>Spotlights with spike</b>			
622189	1 x QT 18 60 W	B15d	stainless steel /anthracite



..2190



..2191

## Wall lamps and Spotlights with pole

340° rotatable

Protection class IP 44  
for tungsten halogen lamps QT 18  
cast aluminium with mounting plate  
borosilicate glass clear

For installation on a wall, on a foundation  
or on the sunk pedestal 690010.

Art.-no.	Lamp	Base	Colour
<b>Wall spotlights</b>			
662190	1 x QT 18 60 W	B15d	black
682190	1 x QT 18 60 W	B15d	white
692190	1 x QT 18 60 W	B15d	silver
<b>Spotlights with pole, 2-units</b>			
662191	2 x QT 18 60 W	B15d	black
682191	2 x QT 18 60 W	B15d	white
692191	2 x QT 18 60 W	B15d	silver