



P. 14



P. 14



P. 14



P. 15



P. 16



P. 16



P. 17



P. 17



P. 18



P. 18



# SOCKET COLUMNS



**Socket columns with spike**

IP44

with 2 resp. 4 shockproof sockets  
cast aluminium and aluminium  
profile  
with 2,5 m cable and plug

- Available on request with more sockets and switch combinations.

Art.-No.	Inserts	Colour
662103	2-units	black
662104	4-units	black





**Socket Columns**


IP44

with 2 resp. 4 shockproof sockets  
cast aluminium and aluminium  
profile  
with main supply connection  
terminals 4 x 4□  
ready for connection  
with mounting plate

- Available on request with more sockets and switch combinations.



Art.-No.	Inserts	Colour
662105	2-units	black
682105	2-units	white
690010	appropriate sunk pedestal	
662106	4-units	black
682106	4-units	white
690010	appropriate sunk pedestal	




Socket Columns

with 3 shockproof sockets  
with main supply connection  
terminals 4 x 4<sup>□</sup>  
ready for connection  
with mounting plate

IP 44

■ Available on request with more  
sockets and switch combinations.

Art.-No.	Inserts	Colour
652102	3-units	brown-brass
662102	3-units	black
682102	3-units	white
692102	3-units	silver
690010	appropriate sunk pedestal	






Socket Columns


IP44

with 3 resp. 4 shockproof sockets  
 stainless steel  
 with main supply connection  
 terminals  
 3 x 2,5<sup>2</sup> ready for connection  
 with mounting plate made of cast  
 aluminium

■ Available on request with more  
 sockets and switch combinations.



..2107



..2119


Art.-No.	Inserts	Material
Socket Columns		
692107	3-units	StSt
692119	4-units	StSt
690010	appropriate sunk pedestal	




**Socket Column**  
**Socket Column**  
**with spike**

IP 44

with 2 shockproof sockets  
stainless steel  
with main supply connection  
terminals  
3 x 2,5  $\square$  ready for connection  
with mounting plate made of cast  
aluminium  
resp. on spike with 2,5 m cable  
and plug



..2200



..3300



Art.-No.	Inserts	Material
<b>Socket Column</b>		
692200	2-units	StSt
<b>Socket column with spike</b>		
693300	2-units	StSt


Light columns

IP44

with 2 shockproof sockets and  
1 on/off switch  
for fluorescent lamps TC-D  
respectively TC-S  
stainless steel  
with mounting plate  
..2108 made of cast aluminium  
..2108 opal glass  
..2109 white acryl glass

For installation on a foundation.

■ Available on request with more sockets and switch combinations.



Art.-No.	Inserts	Base	EEL	Material
692109	1 x TC-S 11 W	G23	A	StSt
692108	1 x TC-D 18 W	G24d-2	B	StSt

